




TECHNICAL DATA

Futura®

18 in., 24 in. & 30 in. TOWEL BAR



MATERIALS:

Posts - Zinc Die Cast
18", 24" & 30" Bars - Aluminum Tubing
Wall Plates - Steel, Nickel Plated

INSTALLATION:

Mount wall plate bracket(s) per installation instructions with supplied fasteners. Slip product over wall plate(s) and tighten set screws until secure.

OPTIONAL FASTENER INFORMATION:

Wood blocking is preferable behind all wall surfaces. If wood blocking is not available, the following fasteners are suggested: Tile/Masonry - Plastic or Lead Anchors, Plaster/Drywall - Toggle Bolts.

SPECIFICATION:



Surface mounted towel bar shall be model _____
(fill in model number) by Liberty Hardware Manufacturing Corporation.

LENGTH	18" (457 mm)	24" (610 mm)	30" (762 mm)
DIM "A"	17-5/8" (448 mm)	23-5/8" (600 mm)	29-5/8" (752 mm)
DIM "B"	19-15/16" (506 mm)	25-15/16" (659 mm)	31-15/16" (811 mm)

TECHNICAL DATA

Futura®

TOILET PAPER HOLDER



MATERIALS: Posts - Zinc Die Cast
Roller - Plated Plastic
Wall Plates - Steel, Nickel Plated


INSTALLATION: Mount wall plate bracket(s) per installation instructions with supplied fasteners. Slip product over wall plate(s) and tighten set screws until secure.

OPTIONAL FASTENER INFORMATION:
Wood blocking is preferable behind all wall surfaces. If wood blocking is not available, the following fasteners are suggested: Tile/Masonry - Plastic or Lead Anchors, Plaster/Drywall - Toggle Bolts

SPECIFICATION: Surface mounted toilet paper holder shall be model _____
(fill in model number) by Liberty Hardware Manufacturing Corporation.

Futura®

TOWEL RING



MATERIALS: Post - Zinc Die Cast
Ring - Aluminum Tubing
Wall Plate - Steel, Nickel Plated

INSTALLATION: Mount wall plate bracket(s) per installation instructions with supplied fasteners. Slip product over wall plate(s) and tighten set screws until secure.




OPTIONAL FASTENER INFORMATION:
Wood blocking is preferable behind all wall surfaces. If wood blocking is not available, the following fasteners are suggested: Tile/Masonry - Plastic or Lead Anchors, Plaster/Drywall - Toggle Bolts

SPECIFICATION: Surface mounted towel ring shall be model _____
(fill in model number) by Liberty Hardware Manufacturing Corporation.

TECHNICAL DATA

Futura®

DOUBLE ROBE HOOK



MATERIALS:

Post - Zinc Die Cast
Wall Plate - Steel, Nickel Plated

INSTALLATION:

Mount wall plate bracket(s) per installation instructions with supplied fasteners. Slip product over wall plate(s) and tighten set screws until secure.

OPTIONAL FASTENER INFORMATION:

Wood blocking is preferable behind all wall surfaces. If wood blocking is not available, the following fasteners are suggested: Tile/Masonry - Plastic or Lead Anchors, Plaster/Drywall - Toggle Bolts

SPECIFICATION:

Surface mounted double robe hook shall be model _____
(fill in model number) by Liberty Hardware Manufacturing Corporation.